

SKILL DEVELOPMENT THROUGH SIMULATION: A NEW STANDARD FOR NURSING PHYSICAL EXAM TRAINING

Mehmet Ali Kaya

Faculty of Health Sciences, Nursing Department, Düzce University, Düzce, Turkey

Abstract:

The evolving role of nurses in modern healthcare demands the mastery of advanced skills, particularly physical examination skills, which are essential to clinical competence and patient safety. Despite their importance, acquiring and retaining these skills remains a major challenge in nursing education. High-quality, hands-on clinical experience is crucial for developing such competencies; however, increasing student enrollment, limited educator availability, and restricted clinical placements hinder effective skill development. These limitations contribute to a disconnect between theoretical instruction and practical application, impacting students' ability to recognize critical patient indicators and perform essential caregiving tasks. This study underscores the urgent need to address these educational barriers by enhancing clinical training opportunities, refining teaching strategies, and ensuring sufficient support for both educators and students. Bridging the gap between classroom knowledge and clinical proficiency is vital for producing competent nurses capable of delivering safe, effective care in diverse healthcare settings.

Keywords: Nursing Education, Clinical Competency, Physical Examination Skills, Patient Safety

1. Introduction

The clinical arena is becoming more and more complex as a result of rapidly emerging technology, and subsequently, nursing, with its focus on care, is required to include advanced cognitive, affective and psychomotor skills (Morgan, 2006). Physical examination skills are an essential part of the professional nursing role. Therefore, the teaching of physical examination skills has an important place in nursing education programs (Birks, James, Chung, Cant, & Davis, 2014). However, the processes of learning and the permanent acquisition of the learned skills are very difficult (Kantak & Winstein, 2012). Improving of the quality of patient care and safety and the training of competent nurses are among the main objectives in nursing education (Edeer & Sarıkaya,

2015). It is important to enable students the effective and first-rate experience during the education process for the development of their competence (Goldsmith, Stewart, & Ferguson, 2006). However, in recent years, due to the increasing number of students in nursing education programs and the resulting inadequate number of educators and clinicians, the time allocated for the improvement of their skills in the clinical area is limited (Kaddoura, 2010; Yuan, Williams, Fang, & Ye, 2012). This reduces the opportunities for students to relate their theoretical knowledge to their clinical experience, to recognize important signs in their patients and to develop their caregiving skills (Norman, 2012; Tanner, 2006; Yuan et al., 2012).

Therefore, the use of innovative teaching methods has become increasingly important in the nursing skills laboratories, which are used as the first step in the teaching of skills, as opposed to the clinical settings used for the development of these nursing skills. One innovative teaching method is the

simulation technique, a valuable teaching strategy which offers a realistic, safe and effective learning environment.

This method has been applied for many years in the education process and its use has now begun to increase at a rapid pace (Bland, Topping, & Wood, 2011; Robinson & Dearmon, 2013). For physical examination skills, simulation can provide students with an opportunity to recognize abnormal physical examination findings that are rarely encountered on patients in the clinical setting. Students do not always encounter most auscultation sounds, especially abnormal sounds, during routine clinical practice. Therefore, different simulation methods are used in which highly realistic simulation is involved in order to develop the students' ability to distinguish between normal and abnormal physical examination findings (Chen, Grierson & Norman, 2015).

Studies have found that the use of simulation applications in nursing education results in increased retention of the students' theoretical knowledge and development of their psychomotor skills before practicing them in the clinical setting as well as in increased ability to perform skills (Shepherd, McCunnis, Brown, & Hair, 2010) and development of communication and collaboration skills (Norman, 2012; Paige et al., 2014; Scherer, Myers, O'Connor, & Haskins, 2013). At the same time, studies have shown that simulation-based teaching methods used for developing students' physical examination skills produce positive results (Eyikara & Baykara, 2018; Gordon et al., 2013; Multak, Newell, Spear, Scalese, & Issenberg, 2015; Perlini & Musca, 2012). The study of Tawalbeh (2017) examined the effect of simulation on the cardiopulmonary system examination skills of nursing students and determined that the skill levels were higher in the students who had received simulation training than in the ones who had not. Similarly, in the study of Tiffen, Graf and Corbridge (2009,) students who had simulation experience in heart and lung examination were found to score significantly higher in their ability to evaluate normal and abnormal heart and lung sounds than those who did not have the simulation experience. In light of this information, the aim of this study was to evaluate second-year nursing students enrolled in the Physical Examination Course on their development of auscultation skills for lung and bowel sounds using an application performed via a high-fidelity simulator accompanied by a scenario.

2. Methodology

2.1. Design and site of study

The study, which was conducted as semi-experimental design, was carried out at a State university between March and June 2018.

2.2. Sample

The research population was composed of 191 second-year students enrolled in the Physical Assessment Course in the Faculty of Health Sciences Department of Nursing during the fall semester of the 2017-2018 academic year. The sample group of 36 students was determined by the randomized sampling method.

2.3. Instrument

The research data were collected using the Personal Information Form, which included descriptive characteristics of the students, the Implementation Feedback Form and the Skill Evaluation Form, which were prepared by the researchers.

The Personal Information Form consisted of three questions including the students' age, sex and whether they had received lung and bowel sound auscultation training prior to taking the Physical Assessment Course, and if so, the place and nature of this training.

The Implementation Feedback Form consisted of four questions in order to determine how the students felt during the simulation application, the positive and negative aspects of the application and their suggestions in terms of the application.

The Skill Evaluation Form was prepared by the researchers in accordance with the literature and consisted of 10 application steps designed to evaluate the auscultation skills of the students in terms of their ability to listen to lung and bowel sounds

2.4. Procedure

Data were collected from March to June 2018. The skill applications were carried out using a high-fidelity simulator (Meti-Man Prehospital Simulator) accompanied by a scenario. The applications of the students were evaluated by two independent observers.

2.5. Data analysis

The data were analyzed by using SPSS 24 statistical analysis program. The descriptive characteristics of the students were defined using frequencies and percentages. The performances of students' listening to lung and bowel sounds were summarized by using descriptive statistics and interobserver compliance test was performed between the observers' evaluations. In addition, students' opinions about simulation application were defined by frequency and percentage values. The value of $p < 0.05$ was accepted for the significance level of statistical tests used in the analysis of the data.

2.6. Ethical considerations

Written permission was obtained from the ethics committee (Ethics approval no: 2018/39) and the Faculty of Health Sciences Department of Nursing of the institution in made research. Participation in the study was on a voluntary basis and all students eligible to take part were informed of the purpose and content of the study. Verbal consent was obtained from the students chosen to participate in the study.

2.7. Limitations of the study

The study data were limited to second-year students in the Department of Nursing of the Faculty of Health Sciences. In addition, only the physical examination skills of auscultation of lung and bowel sounds were evaluated.

3. Results

When the descriptive characteristics of the students were examined, it was determined that 60% were 19-20 years of age, 60% were female and none had received lung or bowel sound auscultation training before taking the Physical Assessment Course (Table 1).

Table 1. Descriptive characteristics of students (n = 35)

Descriptive Characteristics		n	%
Age	19-20	21	60.0
	21-23	14	40.0
Sex	Female	21	60.0
	Male	14	40.0
	Yes	0	0

Training status for auscultation of lungs and bowels before taking the Physical Assessment Course	No	35	100.0
Total		35	100.0

Evaluation of the students' auscultation skills for lung and bowel sounds revealed that 54.28% of the students had not introduced themselves to the patient, 62.85% had only partially completed the step of explanation and taking permission from the patient and 94.28% had not closed the curtain to ensure the privacy of the patient. Furthermore, 85.71% of the students partially completed the step of hearing lung sounds at the listening points and 48.57% partially distinguished "wheezing", while 48.57% of them could partially note the number of bowel sounds in each quadrant. It was found that 45.71% were partially able to explain the outcome of the procedure to the patient, and 68.57% partially completed the step of positioning the patient comfortably and ending the procedure appropriately. Moreover, listening to the bowel sounds from each quadrant was partially performed by 40% of the students, while 40% of them performed the step completely. Most of the students (91.42%) neglected to perform the final step of recording the process (Table 2).

The results of the interobserver compliance test conducted for the evaluation of the two different observers established that there was a moderate to high degree of compliance between the observers for all application steps except for the ninth step: "The student positions the patient comfortably and terminates the communication appropriately" (K: -.140) (Table 2).

Table 2. Evaluation of students' auscultation skills for lung and bowel sounds (n = 35)

	Skill Steps	Unable to do		Partially done		Completely done		Interobserver Compliance
		n	%	n	%	n	%	
Auscultation Skills for Lung and Bowel Sounds	The student introduces herself to the patient	19	54.28	4	11.42	12	34.28	K: .842 p : .000
	The student explains the procedure to be done/takes permission from the patient.	6	17.14	22	62.85	7	20	K: .591 p : .000
	During the application, the student closes the curtain to ensure the privacy of the patient.	33	94.28	0	0	2	5.71	K: 1.000 p : .000
	The student listens to the lung sounds from the listening points.	1	2.85	30	85.71	4	11.42	K: .541 p : .000

The student can distinguish "wheezing sounds"	9	25.71	17	48.57	9	25.71	K: .955 p : .000
The student listens to the bowel sounds from each quadrant.	7	20	14	40	14	40	K: .779 p : .000
The student notes the number of bowel sounds in each quadrant.	15	42.85	17	48.57	3	8.57	K: .404 p : .000
The student explains the outcome of the procedure to the patient.	13	37.14	16	45.71	6	17.14	K: .266 p : .032
The student positions the patient comfortably and ends the communication appropriately.	8	22.85	24	68.57	3	8.57	K: -.140 p : .135
The student records the process.	32	91.42	0	0	3	8.57	K: .844 p : .000

Students' feedback about the simulation practice revealed that 40% of the students felt anxious during the application and 45.7% stated that they had gained experience from the practice. No negative aspects were found for the application by 57.1% of the students. In addition, 22.9% of the students did not respond to the request for suggestions and 22.9% had no suggestions, while 14.3% recommended that the simulation practices should be done more frequently (Table 3).

Table 3. Student opinions about simulation practice (n = 35)

Questions	Student opinions	n	%
How did you feel during the practice?	I was happy to help someone.	2	5.7
	I was very anxious; I couldn't do what I had to do.	14	40.0
	It was very realistic; I was anxious before I went back to normal.	10	28.6
	I was a little tense from the simulator coughing.	3	8.6
	I'm sorry, I thought I couldn't give enough attention to the patient.	1	2.9
	I was a little anxious to be next to a patient.	3	8.6
	I felt stressed and under pressure.	2	5.7
	My view is not very positive	1	2.9

What are the positive aspects of the practice?	It was aimed at investigating diseases.	1	2.9
	I gained experience.	16	45.7
	It was realistic.	4	11.4
	It made me realize my shortcomings.	7	20.0
	It helped me to distinguish sounds.	2	5.7
	It helped me overcome my fear and anxiety.	2	5.7
	It created a real sense of environment that enabled me to manage my stress.	1	2.9
	By gaining experience, it made me realize my shortcomings.	1	2.9
What are the negative aspects of the practice?	No answer given.	5	14.3
	There are none.	20	57.1
	More guidance is needed.	1	2.9
	Bowel sounds in the simulator were low.	1	2.9
	It arouses feelings of failure.	1	2.9
	It is stressful.	5	14.3
	It is not enduring/feeling, not like a real patient.	1	2.9
	Resources are limited.	1	2.9
What are your suggestions for implementation?	No answer given.	8	22.9
	I have no suggestions.	8	22.9
	Brief information can be given in the form of reminders/cues.	2	5.7
	The diversity of the practice can be increased with different scenarios.	3	8.6
	Quite suitable.	2	5.7
	It should be applied for all students.	3	8.6
	Such practices should be done more frequently.	5	14.3
	The number of simulators should be increased and mutual communication should be established with the simulator.	3	8.6

	The simulator should be lighter in order to move it more comfortably.	1	2.9
Total		35	100.0

4. Discussion

The results of the study showed that more than half of the students did not introduce themselves to the patient before starting the physical examination, while many of students only partially completed the steps of explanation/authorization from the patient for the procedure to be performed (62.85%) and explaining the outcome to the patient (45.71%). It was also determined that 94.28% of students did not close the curtain to ensure the privacy of the patient during the application. Similar to the results of this study, Çevik, Demirci, and Güven (2015) reported that 35.1% of the nursing students administered medication without explaining it to the patient. However, information about the procedures to be performed on a patient and maintaining patient privacy during the procedures performed are emphasized in the policies of health institutions and in the Patient Rights Regulation no. 23420 (Patient Rights Regulation, 2017). Nurses are expected to know the rights of the patients and provide adequate, safe, and ethical care in line with these principles (Erdil & Korkmaz, 2009). Therefore, nursing students' attitudes toward patient rights and privacy should be developed within the educational processes and it may be considered useful to provide students with theoretical training to develop their attitudes as well as to give them the opportunity to experience simulation practices that can reflect clinical situations.

By partially completing the steps, a majority of the students (85.71%) were able to listen to lung sounds from the listening points, 48.57% to distinguish abnormal wheezing, 40% to listen to bowel sounds from each quadrant, and 48.57 to express the number of bowel sounds in each quadrant.

Based on these results, it can be stated that nearly half of the students had effectively developed the auscultation skills of lung and bowel sounds. Similar to the present study results, Tawalbeh's (2017) study on the effect of simulation on the cardiopulmonary system examination skills of nursing students revealed that the students' skill levels were significantly higher after the simulation. In the study of Tiffen, Graf and Corbridge (2009), it was determined that nursing students attending the simulation practice had higher competency levels in heart and lung examination skills. Similarly, Multak et al. (2015) in a study with medical students, determined the simulation method to be effective in the development of the students' information and cardiac examination techniques, recognition of cardiac findings and ability to reach a correct diagnosis. Also the results of the Butter, McGaghie, Cohen, Kaye, and Wayne (2010)'s study by carried out with medical students were similar.

In addition to the positive effects of simulation applications on physical examination skills, many studies in the literature discuss the inconsistency between the physical examination skills that are taught and those used in the clinical field (Birks et al., 2013; Secrest, Norwood & Mont; 2005). Douglas, Windsor, and Lewis (2015) reported that nursing students had learned physical examination skills during the undergraduate education process, but could neither find the means to apply the skills nor could they improve themselves in the skills and therefore, they stated that the physical examination training practices were inadequate. Cicolini et al. (2015) revealed that the practice of techniques such as auscultation skills and examination of lung, heart and bowel sounds were not applied or rarely applied. Also, in the study of Çevik, Uğurlu, Akyüz, Kav, and Ersayın (2018) 78.4% of the nurses stated that they would like to receive training on physical examination skills. Considering the results obtained from the study data and the literature review, the importance of increasing the proficiency and

awareness levels of nursing students in physical examination skills has emerged, and simulation applications included in the training process can increase their competence and awareness and enable them to arrive at the clinical setting with an adequate level of skills.

After completing the physical examination, 68.57% of the students partially performed the step of comfortably positioning the patient and terminating the communication appropriately, while a high number (91.42%) did not record the procedure they had performed. Ending the communication with the patient after a procedure is extremely important for the therapeutic communication between the patient and the nurse, and effective communication holds an important place among the nursing skills (Xie, Ding, Wang, & Liu, 2013). Expósito, Costa, Agea, Izquierdo, and Rodríguez (2018) evaluated the communication skills of nursing students and stated that the students' communication skill scores were low and needed to be improved. Similarly, Xie et al. (2013) also reported that nursing students needed training in communication. In terms of professional competence in nursing, it is necessary to possess not only cognitive and psychomotor skills, but also advanced and effective communication skills (Terzioğlu et al., 2016). Students may find it difficult to communicate with patients when they are not adequately prepared for the clinical practice environment (Bokken et al., 2010). Studies performed using the simulation method have revealed that the simulation had an effect on the development of student communication skills (Alexander & Dearsley, 2013; Ryan et al., 2010; Weaver & Erby, 2012). It is also essential to record all the procedures performed in order to make apparent the nursing care, to manage the patient's care, to provide information about the patient for other health personnel and to establish legal evidence of the care (Kim & Park, 2005; Tiusanen, Junttila, Leinonen, & Salanterä, 2010; Türk, Hakverdioğlu, Eşer, & Khorshid, 2010). The feedback from the students about the simulation application revealed that 40% of the students were very anxious during the application and could not do what they needed to do and 45.7% of them felt that they had gained experience as a positive aspect of the simulation practice. Findings similar to the results of this study have been reached on the effect of simulation practices on levels of student anxiety and on the ability to achieve the expected skills (Cheung & Au, 2011; Harvey, Bandiera, Nathens, & LeBlanc, 2012; Sprengel & Job, 2004). A review of the literature revealed that student satisfaction levels and psychomotor skills increased as the reality level of the simulation environment increased (Terzioğlu et al., 2016), whereas the stress levels they experienced also increased (Sprengel & Job, 2004).

In addition to the negative feelings that students may experience during the implementation process, it has emerged that simulation applications have positive effects on their knowledge and skills, including improvement of psychomotor skill development, critical thinking and development of clinical decision-making skills (Gündoğdu & Dikmen, 2017; Şendir & Doğan, 2015).

Similar to the results of this study, the study of Uslusoy (2014) examining the views of nursing students who received and did not receive simulation training in the process of their education found that those who received simulation training stated that it contributed to their professional skills, reduced their anxiety, increased their selfconfidence and facilitated quick decision making. Also, Yilmaz & Sari's (2018) study dealt with nursing student views of the effects of low and high fidelity simulation on the development of their clinical skills. The students stated that highly realistic simulation enabled holistic assessment of the patient, increased clinical selfconfidence, provided continuity and retention of knowledge and improved decision-making skills.

In this study, more than half of the students stated that there were no negative aspects of the simulation application and 14.3% of the students suggested that such simulation training should be performed more frequently. In contrast, Uslusoy (2014) stated that the models and simulators used by the students

were inadequate and that the simulation training caused difficulties for a high number of students. However, in line with the suggestion made by the students participating in this study, more frequent integration of simulation applications in nursing education has been recommended (Corbridge et al., 2008; Fountain & Alfred, 2009). By using high fidelity simulation application more often, students are given the opportunity to repeatedly practice and reduce mistakes that could have been made in the real environment (Edeer & Sarıkaya, 2015). The increasing number of students in nursing education today has led to an inadequate number of faculty members. Because of this situation, not all students may be given the opportunity to repeat their skill practices in a given time period (Uslusoy, 2014).

5. Conclusion and Recommendations

In light of the results obtained in the study and the data in the literature, it is recommended that high fidelity simulation applications be included in the education of nursing students in order to develop their physical examination skills. In addition, it is thought that the implementation of simulation applications that include more comprehensive physical examination skills would facilitate integration of knowledge and skills and improve student attitudes toward holistic patient assessment. Moreover, evaluating student feedback on high fidelity simulation can help reveal the positive and negative aspects of the simulation from the student point of view and enable further development of the simulation technique in line with their opinions.

References

- Alexander, L., & Dearsley, A. (2013). Using standardized patients in an undergraduate mental health simulation: A pilot study. *International Journal of Mental Health*, 42(2-3), 149-164. <https://doi.org/10.2753/IMH00207411420209>
- Birks, M., Cant, R., James, A., Chung, C., & Davis, J. (2013). The use of physical assessment skills by registered nurses in Australia: Issues for nursing education. *Collegian*, 20(1), 27-33. <https://doi.org/10.1016/j.colegn.2012.02.004>
- Birks, M., James, A., Chung, C., Cant, R., & Davis, J. (2014). The teaching of physical assessment skills in preregistration nursing programmes in Australia: Issues for nursing education. *Collegian*, 21(3), 245-253. <https://doi.org/10.1016/j.colegn.2013.05.001>
- Bland, A. J., Topping, A., & Wood, B. (2011). A concept analysis of simulation as a learning strategy in the education of undergraduate nursing students. *Nurse Education Today*, 31(7), 664-670. <https://doi.org/10.1016/j.nedt.2010.10.013>
- Bokken, L., Rethans, J. J., Jöbsis, Q., Duvivier, R., Scherpbier, A., & Van Der Vleuten, C. (2010). Instructiveness of real patients and simulated patients in undergraduate medical education: a randomized experiment. *Academic Medicine*, 85(1), 148-154. doi: 10.1097/ACM.0b013e3181c48130
- Butter, J., McGaghie, W. C., Cohen, E. R., Kaye, M., & Wayne, D. B. (2010). Simulation-based mastery learning improves cardiac auscultation skills in medical students. *Journal of General Internal Medicine*, 25(8), 780-785. doi: 10.1007/s11606-010-1309-x

- Chen, R., Grierson, L. E., & Norman, G. R. (2015). Evaluating the impact of high and low fidelity instruction in the development of auscultation skills. *Medical Education*, 49(3), 276-285. doi: 10.1111/medu.12653
- Cheung, R. Y. M., & fong Au, T. K. (2011). Nursing students' anxiety and clinical performance. *Journal of Nursing Education*, 50(5), 286-289. <http://hdl.handle.net/10722/136301>
- Cicolini, G., Tomietto, M., Simonetti, V., Comparcini, D., Flacco, M. E., Carvello, M., & Manzoli, L. (2015). Physical assessment techniques performed by Italian registered nurses: a quantitative survey. *Journal of Clinical Nursing*, 24(23-24), 3700-3706. <https://doi.org/10.1111/jocn.12997>
- Corbridge, S. J., McLaughlin, R., Tiffen, J., Wade, L., Templin, R., & Corbridge, T. C. (2008). Using simulation to enhance knowledge and confidence. *The Nurse Practitioner*, 33(6), 12-13. https://journals.lww.com/tnpj/Fulltext/2008/06000/Using_Simulation_to_Enhance_Knowledge_and.6.aspx#pdf-link
- Çevik, A. B., Demirci, A., & Güven, Z. (2015). Hemşirelik öğrencilerinin klinik eğitim sırasında yaptıkları ilaç uygulama hataları ve tıbbi hata farkındalıkları [Drug Application Errors and Medical Failure Awareness of Nursing Students During Clinical Training]. *Acıbadem Üniversitesi Sağlık Bilimleri Dergisi* [Acıbadem University Journal of Health Sciences], 6(3), 152-159. http://acibadem.dergisi.org/uploads/pdf/pdf_AUD_314.pdf
- Çevik, B., Uğurlu, Z., Akyüz, E., Kav, S., & Ersayın, A. (2018). Hemşirelerin fiziksel değerlendirme becerileri ve uygulamaya ilişkin görüşleri [Physical evaluation skills of nurses and their opinions about practice]. *Journal of Hacettepe University Faculty of Nursing*, 5(1), 39-48. <http://eds.b.ebscohost.com/eds/pdfviewer/pdfviewer?vid=0&sid=e89e4f01-2590-4a21843504519e2c91d6%40pdc-v-sessmgr03>
- Douglas, C., Windsor, C., & Lewis, P. (2015). Too much knowledge for a nurse? Use of physical assessment by final semester nursing students. *Nursing & Health Sciences*, 17(4), 492-499. doi: 10.1111/nhs.12223
- Edeer, A. D., & Sarıkaya, A. (2015). Hemşirelik eğitiminde simülasyon kullanımı ve simülasyon tipleri [Simulation use and simulation types in nursing education]. *Hemşirelikte Eğitim ve Araştırma Dergisi* [Journal of Nursing Education and Research], 12(2), 121-125. <https://hdl.handle.net/20.500.12436/750>
- Erdil, F., & Korkmaz, F. (2009). Ethical problems observed by student nurses. *Nursing Ethics*, 16(5), 589-598. doi: 10.1177/0969733009106651

- Eyikara, E., & Baykara, Z. G. (2018). Effect of simulation on the ability of first year nursing students to learn vital signs. *Nurse Education Today*, 60, 101-106. <https://doi.org/10.1016/j.nedt.2017.09.023>
- Expósito, J. S., Costa, C. L., Agea, J. L. D., Izquierdo, M. D. C., & Rodríguez, D. J. (2018). Ensuring relational competency in critical care: Importance of nursing students' communication skills. *Intensive and Critical Care Nursing*, 44, 85-91. <https://doi.org/10.1016/j.iccn.2017.08.010>
- Fountain, R. A., & Alfred, D. (2009). Student satisfaction with high-fidelity simulation: Does it correlate with learning styles?. *Nursing Education Perspectives*, 30(2), 96-98. https://journals.lww.com/neponline/Fulltext/2009/03000/STUDENT_SATISFACTION_with_High_Fidelity.10.aspx#pdf-link
- Goldsmith, M., Stewart, L., & Ferguson, L. (2006). Peer learning partnership: An innovative strategy to enhance skill acquisition in nursing students. *Nurse Education Today*, 26(2), 123-130. <https://doi.org/10.1016/j.nedt.2005.08.001>
- Gordon, C. J., Frotjold, A., Fethney, J., Green, J., Hardy, J., Maw, M., & Buckley, T. (2013). The effectiveness of simulation-based blood pressure training in preregistration nursing students. *Simulation in Healthcare*, 8(5), 335-340. doi: 10.1097/SIH.0b013e3182a15fa7
- Gündoğdu, H., & Dikmen, Y. (2017). Hemşirelik eğitiminde simülasyon: Sanal gerçeklik ve haptik sistemler [Simulation in nursing education. Virtual reality and haptic systems]. *Journal of Human Rhythm*, 3(4), 173-176. <https://dergipark.org.tr/tr/pub/johr/issue/33484/373543>
- Harvey, A., Bandiera, G., Nathens, A. B., & LeBlanc, V. R. (2012). Impact of stress on resident performance in simulated trauma scenarios. *Journal of Trauma and Acute Care Surgery*, 72(2), 497-503. doi: 10.1097/TA.0b013e31821f84be
- Patient Rights Regulation (2018, 15 October). Available from: <http://www.mevzuat.gov.tr/Metin.Aspx?MevzuatKod=7.5.4847&MevzuatIliski=0&sourceXmlSearch=hasta%20haklar%C4%B1>.
- Kaddoura, M. A. (2010). New graduate nurses' perceptions of the effects of clinical simulation on their critical thinking, learning, and confidence. *The Journal of Continuing Education in Nursing*, 41(11), 506-516. <https://doi.org/10.3928/00220124-20100701-02>
- Kantak, S. S., & Winstein, C. J. (2012). Learning-performance distinction and memory processes for motor skills: A focused review and perspective. *Behavioural Brain Research*, 228(1), 219-231.

<https://doi.org/10.1016/j.bbr.2011.11.028>

- Kim, Y. J., & Park, H. A. (2005). Analysis of nursing records of cardiac-surgery patients based on the nursing process and focusing on nursing outcomes. *International Journal of Medical Informatics*, 74(11-12), 952-959. <https://doi.org/10.1016/j.ijmedinf.2005.07.004>
- Morgan, R. (2006). Using clinical skills laboratories to promote theory–practice integration during first practice placement: an Irish perspective. *Journal of Clinical Nursing*, 15(2), 155-161. <https://doi.org/10.1111/j.13652702.2006.01237.x>
- Multak, N., Newell, K., Spear, S., Scalese, R. J., & Issenberg, S. B. (2015). A multi-institutional study using simulation to teach cardiopulmonary physical examination and diagnosis skills to physician assistant students. *The Journal of Physician Assistant Education*, 26(2), 70-76. doi: 10.1097/JPA.0000000000000021
- Norman, J. (2012). Systematic review of the literature on simulation in nursing education. *ABNF Journal*, 23(2).<https://pdfs.semanticscholar.org/a31d/f6efd842c3b5850c0cdea9838af9cbf7ddda.pdf>
- Paige, J. T., Garbee, D. D., Kozmenko, V., Yu, Q., Kozmenko, L., Yang, T., ... & Swartz, W. (2014). Getting a head start: high-fidelity, simulation-based operating room team training of interprofessional students. *Journal of the American College of Surgeons*, 218(1), 140-149. <https://doi.org/10.1016/j.jamcollsurg.2013.09.006>
- Perlini, S., Salinaro, F., Santalucia, P., & Musca, F. (2014). Simulation-guided cardiac auscultation improves medical students' clinical skills: the Pavia pilot experience. *Internal And Emergency Medicine*, 9(2), 165-172. doi: 12.1007/s11739-012-0811-z
- Robinson, B. K., & Dearmon, V. (2013). Evidence-based nursing education: Effective use of instructional design and simulated learning environments to enhance knowledge transfer in undergraduate nursing students. *Journal of Professional Nursing*, 29(4), 203-209. <https://doi.org/10.1016/j.profnurs.2012.04.022>
- Ryan, C. A., Walshe, N., Gaffney, R., Shanks, A., Burgoyne, L., & Wiskin, C. M. (2010). Using standardized patients to assess communication skills in medical and nursing students. *BMC Medical Education*, 10(1), 24. <https://bmcmmededuc.biomedcentral.com/articles/10.1186/1472-6920-10-24>
- Scherer, Y. K., Myers, J., O'Connor, T. D., & Haskins, M. (2013). Interprofessional simulation to foster collaboration between nursing and medical students. *Clinical Simulation in Nursing*, 9(11), e497-e505. <https://doi.org/10.1016/j.ecns.2013.03.001>

- Secrest, J. A., Norwood, B. R., & Dumont, P. M. (2005). Physical assessment skills: A descriptive study of what is taught and what is practiced. *Journal of Professional Nursing*, 21(2), 114-118.
<https://doi.org/10.1016/j.profnurs.2005.01.004>
- Shepherd, C. K., McCunnis, M., Brown, L., & Hair, M. (2010). Investigating the use of simulation as a teaching strategy. *Nursing Standard*, 24(35). doi: 10.7748/ns.24.35.42.s50
- Sprengel, A. D., & Job, L. (2004). Reducing student anxiety by using clinical peer mentoring with beginning nursing students. *Nurse Educator*, 29(6), 246-250.
https://journals.lww.com/nurseeducatoronline/Fulltext/2004/11000/Reducing_Student_Anxiety_by_Using_Clinical_Peer.10.aspx#pdf-link
- Şendir, M., & Doğan, P. (2015). Hemşirelik eğitiminde simülasyonun kullanımı: sistematik inceleme [Use of Simulation in Nursing Education: A Systematic Review]. *Florence Nightingale Hemşirelik Dergisi* [Florence Nightingale Nursing Journal], 23(1), 49-56.
<https://dergipark.org.tr/tr/download/articlefile/332624>
- Tanner, C. A. (2006). Thinking like a nurse: A research-based model of clinical judgment in nursing. *Journal of Nursing Education*, 45(6).
<https://www.ccdhb.org.nz/working-with-us/nursing-and-midwiferyworkforcedevelopment/preceptorship-and-supervision/tanner-2006.pdf>
- Tawalbeh, L. I. (2017). Effect of simulation on the confidence of university nursing students in applying cardiopulmonary assessment skills: a randomized controlled trial. *Journal of Nursing Research*, 25(4), 289-295. doi: 10.1097/JNR.000000000000170
- Terzioğlu, F., Yücel, Ç., Koç, G., Şimşek, Ş., Yaşar, B. N., Şahan, F. U., ... & Mert, M. (2016). A new strategy in nursing education: From hybrid simulation to clinical practice. *Nurse Education Today*, 39, 104108.
<https://doi.org/10.1016/j.nedt.2016.01.009>
- Tiusanen, T. S., Junttila, K., Leinonen, T., & Salanterä, S. (2010). The validation of AORN recommended practices in Finnish perioperative nursing documentation. *AORN Journal*, 91(2), 236-247.
<https://aornjournal.onlinelibrary.wiley.com/doi/pdf/10.1016/j.aorn.2009.06.027>
- Tiffen, J., Graf, N., & Corbridge, S. (2009). Effectiveness of a low-fidelity simulation experience in building confidence among advanced practice nursing graduate students. *Clinical Simulation in Nursing*, 5(3), e113e117.
<https://doi.org/10.1016/j.ecns.2009.01.009>
- Türk, G., Hakverdioğlu, G., Eşer, İ., & Khorshid, L. (2010). İnmeli hastaların hemşire kayıtlarının incelenmesi [Examination of nursing records of stroke patients]. *Dokuz Eylül Üniversitesi Hemşirelik Yüksekokulu Elektronik Dergisi* [Dokuz Eylül University School of Nursing Electronic Journal], 3(4), 171-174.
http://acikerisim.deu.edu.tr:8080/xmlui/bitstream/handle/20.500.12397/4567/171174_pdf.pdf?sequence=1

- Uslusoy, E. Ç. (2014). Hemşirelik eğitiminde simülasyon kullanımı: Öğrencilerin görüşleri [Use of simulation in nursing education: Opinions of students]. Süleyman Demirel Üniversitesi Sağlık Bilimleri Enstitüsü Dergisi [Süleyman Demirel University Institute of Health Sciences Journal], 4(2), 25–29. doi: 10.22312/sdusbed.414083
- Weaver, M., & Erby, L. (2012). Standardized patients: a promising tool for health education and health promotion. *Health Promotion Practice*, 13(2), 169-174. doi: 10.1177/1524839911432006
- Xie, J., Ding, S., Wang, C., & Liu, A. (2013). An evaluation of nursing students' communication ability during practical clinical training. *Nurse Education Today*, 33(8), 823-827. <https://doi.org/10.1016/j.nedt.2012.02.011>
- Yılmaz, D. U., & Sarı, D. (2018). Hemşirelik öğrencilerinin psikomotor beceri öğretiminde kullanılan düşük ve yüksek gerçekli simülasyon yönteminin klinik beceri düzeyine etkisine ilişkin görüşleri [The Opinions of nursing students on the effectiveness of low and high realistic simulation methods used in teaching psychomotor skills on a clinical skill level]. Türkiye Klinikleri [Turkey Clinics] Journal of Nursing Sciences, 10(3), 177–187.
- Yuan, H. B., Williams, B. A., Fang, J. B., & Ye, Q. H. (2012). A systematic review of selected evidence on improving knowledge and skills through high-fidelity simulation. *Nurse Education Today*, 32(3), 294-298. <https://doi.org/10.1016/j.nedt.2011.07.010>